

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**3030 Nano rain repellent**

Revision date: 13.01.2020

Product code: 90179

Page 1 of 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

3030 Nano rain repellent

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Acid-hardened sealants, high in solvents

**1.3. Details of the supplier of the safety data sheet**

Company name: KERONA GmbH  
Street: Zeilbaumweg 15  
Place: D-74613 Öhringen  
Telephone: +49 7941-9205 4080  
e-mail: mail@kerona.de  
Contact person: Dr. Hans Goetz  
e-mail: hans.goetz@kerona.de  
Internet: www.kerona.de

Telephone: +49 170-8548 710

**1.4. Emergency telephone number:**

+49 761-19 240

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

propan-2-ol

**Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Precautionary statements**

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P403+P235 Store in a well-ventilated place. Keep cool.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 2 of 8

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	propan-2-ol			50-100 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder,, alcohol resistant foam, Water spray.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon dioxide (CO<sub>2</sub>) Carbon monoxide Nitrogen oxides (NO<sub>x</sub>)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Do not allow water used to extinguish fire to enter drains or waterways. Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 3 of 8

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

#### **Advice on protection against fire and explosion**

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

#### **Hints on joint storage**

Do not store together with: Material, oxygen-rich, oxidizing. Pyrophoric or self-heating substances.

#### **Further information on storage conditions**

Keep away from heat.

### **7.3. Specific end use(s)**

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### **8.1. Control parameters**

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### **8.2. Exposure controls**

#### **Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### **Protective and hygiene measures**

After contact with skin, wash immediately with plenty of water and soap.

#### **Eye/face protection**

Wear eye/face protection.

#### **Hand protection**

rubber gloves. NBR (Nitrile rubber) / Butyl caoutchouc (butyl rubber)

Thickness of the glove material > 0,7 mm

penetration time (maximum wearing period): > 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

EN ISO 374

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 4 of 8

#### Skin protection

Wear antistatic work clothing.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Observe the wear time limits according to GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### Environmental exposure controls

Do not allow to enter into surface water or drains. No special environmental measures are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	clear
Odour:	Alcohol
pH-Value:	-

#### Changes in the physical state

Initial boiling point and boiling range:	82 °C
Flash point:	18 °C
Lower explosion limits:	0,8 vol. %
Upper explosion limits:	12 vol. %
Ignition temperature:	425 °C
Vapour pressure: (at 20 °C)	33,38 hPa
Density (at 20 °C):	0,86 g/cm <sup>3</sup>
Water solubility:	-
Viscosity / dynamic: (at 20 °C)	3,83 mPa·s

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Keep away from: acid. alkali. Oxidizing agents.

### 10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.  
Carbon dioxide. Carbon monoxide Nitrogen oxides (NO<sub>x</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 5 of 8

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

#### Other observations

May be harmful if swallowed, in contact with skin or if inhaled.

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

Some of the components are poorly biodegradable.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

The evaluation was carried out according to the calculation method of the preparation directive.

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains.

#### List of Wastes Code - residues/unused products

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 6 of 8

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);  
waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent  
mixtures; hazardous waste

**List of Wastes Code - used product**

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);  
waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent  
mixtures; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

**Land transport (ADR/RID)**

**14.1. UN number:** UN 1219  
**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Classification code: F1  
Special Provisions: 601  
Limited quantity: 1 L  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

**Other applicable information (land transport)**

E2

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1219  
**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Classification code: F1  
Special Provisions: 601  
Limited quantity: 1 L

**Other applicable information (inland waterways transport)**

E2

**Marine transport (IMDG)**

**14.1. UN number:** UN 1219  
**14.2. UN proper shipping name:** ISOPROPANOL (ISOPROPYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3  
Special Provisions: -  
Limited quantity: 1 L  
EmS: F-E, S-D

**Other applicable information (marine transport)**

E2

**Air transport (ICAO-TI/IATA-DGR)**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 3030 Nano rain repellent

Revision date: 13.01.2020

Product code: 90179

Page 7 of 8

<b>14.1. UN number:</b>	UN 1219
<b>14.2. UN proper shipping name:</b>	ISOPROPANOL (ISOPROPYL ALCOHOL)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Special Provisions:	A180
Limited quantity Passenger:	1 L
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

**Other applicable information (air transport)**

E2

Passenger-LQ: Y341

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

2010/75/EU (VOC): 68%; 584,8 g/l

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

### SECTION 16: Other information

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

**Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Acid-hardened sealants, high in solvents	IS, PW, C	-	9a, 15, 32	11, 19	8e, 10a	1, 1a, 1b, 4	7, 13, 14, 119	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### **3030 Nano rain repellent**

Revision date: 13.01.2020

Product code: 90179

Page 8 of 8

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*