

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

4720 Power rust dissolver ICE Spray 250 ml

UFI: X7G9-T6R0-N00Q-98E7

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Kisling Deutschland GmbH	
Street:	Salzstraße 15	
Place:	D-74676 Niedernhall	
Telephone:	+49 7940 5096161	
E-mail:	info@kisling.com	
Contact person:	Isabel Winter	Telephone: +49 7941 92054087
E-mail:	info@kisling.com	
Internet:	www.kisling.com	

1.4. Emergency telephone number: 24 hr. emergency phone number +1 872 5888271 (KAR)
Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
107-98-2	1-methoxy-2-propanol			1 - < 5 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H336			
123-54-6	pentane-2,4-dione			1 - < 5 %
	204-634-0	606-029-00-0	01-2119458968-15	
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4; H226 H331 H311 H302			
119-36-8	Methyl salicylate			0.1 - < 1 %
	204-317-7		01-2119515671-44	
	Repr. 2, Acute Tox. 4; H361 H302			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
107-98-2	203-539-1	1-methoxy-2-propanol	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 4277 mg/kg	
123-54-6	204-634-0	pentane-2,4-dione	1 - < 5 %
		inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); dermal: LD50 = 790 mg/kg; oral: LD50 = 760 mg/kg	
119-36-8	204-317-7	Methyl salicylate	0.1 - < 1 %
		oral: LD50 = 887 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Put victim at rest, cover with a blanket and keep warm.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

Protect uninjured eye. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting. Rinse mouth thoroughly with water. If unconscious but breathing normally, place in recovery position and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Dry extinguishing powder,, alcohol resistant foam, Water spray.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO₂) Carbon monoxide Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Heating causes rise in pressure with risk of bursting.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

Advice on protection against fire and explosion

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

Further information on storage conditions

No hazardous reaction when handled and stored according to provisions.
storage temperature: 5°C - 25°C Keep away from heat.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 4 of 11

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	
		150	568		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
107-98-2	1-methoxy-2-propanol			
Worker DNEL, long-term	inhalation	systemic	369 mg/m ³	
Worker DNEL, acute	inhalation	systemic	553,5 mg/m ³	
Worker DNEL, acute	inhalation	local	553,5 mg/m ³	
Worker DNEL, long-term	dermal	systemic	183 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	43,9 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	78 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	33 mg/kg bw/day	
123-54-6	pentane-2,4-dione			
Worker DNEL, long-term	inhalation	systemic	84 mg/m ³	
Worker DNEL, long-term	dermal	systemic	12 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	7 mg/kg bw/day	
119-36-8	Methyl salicylate			
Worker DNEL, long-term	inhalation	systemic	17,5 mg/m ³	
Worker DNEL, acute	inhalation	systemic	285 mg/m ³	
Worker DNEL, long-term	dermal	systemic	6 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	systemic	4 mg/m ³	
Consumer DNEL, acute	inhalation	systemic	213 mg/m ³	
Consumer DNEL, long-term	dermal	systemic	3 mg/kg bw/day	
Consumer DNEL, long-term	oral	systemic	1 mg/kg bw/day	
Consumer DNEL, acute	oral	systemic	5 mg/kg bw/day	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 5 of 11

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
107-98-2	1-methoxy-2-propanol	
Freshwater		10 mg/l
Freshwater (intermittent releases)		100 mg/l
Marine water		1 mg/l
Freshwater sediment		52,3 mg/kg
Marine sediment		5,2 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		4,59 mg/kg
123-54-6	pentane-2,4-dione	
Freshwater		0,2 mg/l
Freshwater (intermittent releases)		0,26 mg/l
Marine water		0,02 mg/l
Freshwater sediment		1,909 mg/kg
Marine sediment		0,191 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,32 mg/l
Soil		0,193 mg/kg
119-36-8	Methyl salicylate	
Freshwater		0,0016 mg/l
Freshwater (intermittent releases)		0,016 mg/l
Marine water		0,00016 mg/l
Freshwater sediment		0,041 mg/kg
Marine sediment		0,004 mg/kg
Micro-organisms in sewage treatment plants (STP)		140 mg/l
Soil		0,007 mg/kg

Additional advice on limit values

SECTION 16: Other information

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Thickness of the glove material >0,4 mm; >480 min

Neoprene

Thickness of the glove material >0,4 mm; >480 min

EN ISO 374

Skin protection

Wear suitable protective clothing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 6 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	yellow
Odour:	characteristic
Boiling point or initial boiling point and boiling range:	-42 °C
Lower explosion limits:	1,4 vol. %
Upper explosion limits:	15 vol. %
Flash point:	-104 °C
Auto-ignition temperature:	365 °C
pH-Value (at 20 °C):	5,0-7,0
Density (at 24 °C):	0,75 g/cm ³

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The product is stable under storage at normal ambient temperatures.
Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from heat. Flame

10.5. Incompatible materials

Materials to avoid: .

10.6. Hazardous decomposition products

Carbon monoxide Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 0.0000 mg/kg; ATE (dermal) 0.0000 mg/kg; ATE (inhalation vapour) 0.0000 mg/l; ATE (inhalation dust/mist) 0.0000 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-98-2	1-methoxy-2-propanol				
	oral	LD50 4277 mg/kg	Rat	Study report (1985)	EU Method B.1
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1985)	EU Method B.3
123-54-6	pentane-2,4-dione				
	oral	LD50 760 mg/kg	Rat	Drug and Chemical Toxicology, 9, 133-146	other: as stated in report
	dermal	LD50 790 mg/kg	Rabbit	Drug and Chemical Toxicology, 9, 133-146	other: as reported in test report
	inhalation (4 h) vapour	LC50 3 mg/l			
	inhalation dust/mist	ATE 0.5 mg/l			
119-36-8	Methyl salicylate				
	oral	LD50 887 mg/kg	Rat	Food Cosmet Toxicol 2:327-343 (1964)	OECD Guideline 401

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
107-98-2	1-methoxy-2-propanol					
	Acute fish toxicity	LC50 > 4600 - < 10000 mg/l	96 h	Leuciscus idus	Study report (1989)	other: DIN 38 412, part L15
	Acute algae toxicity	ErC50 > 1000 mg/l	96 h	Pseudokirchneriella subcapitata	Study report (1986)	OECD Guideline 201
	Acute crustacea toxicity	EC50 21100 - 25900 mg/l	48 h	Daphnia magna	Study report (1981)	other: Environmental Sciences Research T
123-54-6	pentane-2,4-dione					
	Acute fish toxicity	LC50 104 mg/l	96 h	Pimephales promelas	Center of Lake Superior Environmental St	OECD Guideline 203
	Acute algae toxicity	ErC50 83,22 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 25,9 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5, 393-398. (198	other: ASTM Standard D4229-84 of 1984
	Fish toxicity	NOEC 10 mg/l	34 d	Pimephales promelas	Study report (2012)	OECD Guideline 210
	Crustacea toxicity	NOEC 18 mg/l	21 d	Daphnia magna	Study report (2012)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 107,6 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209
119-36-8	Methyl salicylate					
	Acute fish toxicity	LC50 19,8 mg/l	96 h	Pimephales promelas	Publication (1985)	OECD Guideline 203
	Acute algae toxicity	ErC50 27 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 870 mg/l	48 h	Daphnia magna	Chemosphere 59 255-261 (2005)	OECD Guideline 202

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol	< 1
123-54-6	pentane-2,4-dione	0,68
119-36-8	Methyl salicylate	2,55

BCF

CAS No	Chemical name	BCF	Species	Source
123-54-6	pentane-2,4-dione	3,16		Calculation (2000)

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 9 of 11

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0
 Transport category: 2
 Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.1



Classification code: 5F

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 10 of 11

Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 959
 Limited quantity: 1000 mL
 Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: A145 A167 A802
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y203
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 203
 IATA-max. quantity - Passenger: 75 kg
 IATA-packing instructions - Cargo: 203
 IATA-max. quantity - Cargo: 150 kg

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 92,842 % (696,314 g/l)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

4720 Power rust dissolver ICE Spray 250 ml

Revision date: 31.01.2023

Product code: 70587

Page 11 of 11

Abbreviations and acronyms

Aerosol: Aerosols

Flam. Liq: Flammable liquid

Acute Tox: Acute toxicity

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Lubricating agent	PW, C	-	24	11	-	-	7, 80	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)