



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 1 of 17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

5291 AC Cleaner activeSilver plus citrus 100 ml

UFI: 4QR9-X629-Y00Q-S23M

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Air care products

Biocide

### 1.3. Details of the supplier of the safety data sheet

Company name: KERONA GmbH
Street: Zeilbaumweg 15
Place: D-74613 Öhringen
Telephone: +49 7941-9205 4080
E-mail: mail@kerona.de

Contact person: Isabel Winter Telephone: +49 7941 9205 4087

E-mail: isabel.winter@kerona.de

Internet: www.kerona.de

1.4. Emergency telephone Medicines & Poisons Info Office +356 2545 6508

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



## **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Special labelling of certain mixtures

EUH208 Contains d-limonene, 1,8-Cineole. May produce an allergic reaction.

Read attached instructions before use.



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 2 of 17

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# **Chemical characterization**

Aerosol

## Hazardous components

Chemical name				
EC No	Index No	REACH No		
Classification (Regulation (EC)	No 1272/2008)			
dimethyl ether			40 - 60 %	
204-065-8	603-019-00-8			
Flam. Gas 1; H220				
ethanol			20 - 25 %	
200-578-6	603-002-00-5			
Flam. Liq. 2; H225	·	·		
Sodium Benzoate			0.1 - < 1 %	
208-534-8				
Eye Irrit. 2; H319	•	·		
	0.1 - < 1 %			
946-248-1		01-2120742577-46		
Aquatic Chronic 1; H410				
d-limonene	< 0.1 %			
227-813-5	601-029-00-7	01-2119529223-47		
Flam. Liq. 3, Skin Irrit. 2, Skin S H315 H317 H304 H400 H410				
1,8-Cineole	< 0.1 %			
		01-2119967772-24		
Flam. Liq. 3, Skin Sens. 1; H22	6 H317			
	EC No Classification (Regulation (EC) dimethyl ether 204-065-8 Flam. Gas 1; H220 ethanol 200-578-6 Flam. Liq. 2; H225 Sodium Benzoate 208-534-8 Eye Irrit. 2; H319 Reaction mass of 3,7-dimethylo 3-methyl-2-butenoate and citror 946-248-1 Aquatic Chronic 1; H410 d-limonene 227-813-5 Flam. Liq. 3, Skin Irrit. 2, Skin S H315 H317 H304 H400 H410 1,8-Cineole	EC No  Classification (Regulation (EC) No 1272/2008)  dimethyl ether  204-065-8  Flam. Gas 1; H220  ethanol  200-578-6  Flam. Liq. 2; H225  Sodium Benzoate  208-534-8  Eye Irrit. 2; H319  Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-er 3-methyl-2-butenoate and citronellyl 3-methylcrotonate  946-248-1  Aquatic Chronic 1; H410  d-limonene  227-813-5  601-029-00-7  Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic H315 H317 H304 H400 H410	EC No Index No REACH No  Classification (Regulation (EC) No 1272/2008)  dimethyl ether  204-065-8 603-019-00-8  Flam. Gas 1; H220  ethanol  200-578-6 603-002-00-5  Flam. Liq. 2; H225  Sodium Benzoate  208-534-8  Eye Irrit. 2; H319  Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenoate and citronellyl 3-methylcrotonate  946-248-1 01-2120742577-46  Aquatic Chronic 1; H410  d-limonene  227-813-5 601-029-00-7 01-2119529223-47  Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226  H315 H317 H304 H400 H410  1,8-Cineole	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc	Limits, M-factors and ATE					
115-10-6	204-065-8	dimethyl ether	40 - 60 %				
	inhalation: LC	550 = 164000 ppm (gases)					
64-17-5	200-578-6	ethanol	20 - 25 %				
	inhalation: LC	nhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg					
532-32-1	208-534-8	Sodium Benzoate	0.1 - < 1 %				
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 3450 mg/kg					
	946-248-1	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenoate and citronellyl 3-methylcrotonate	0.1 - < 1 %				
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >10000 mg/kg Aquatic Chronic 1; H410: M=1					
5989-27-5	227-813-5	d-limonene	< 0.1 %				
	dermal: LD50	) = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg					





according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 3 of 17

### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % aromatic hydrocarbons, < 5 % anionic surfactants, perfumes (Limonene, Linalool, Citral).

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

### After inhalation

Provide fresh air. Medical treatment necessary. IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of inhaling spray mist, consult a physician. Put victim at rest, cover with a blanket and keep warm. If breathing is irregular or stopped, administer artificial respiration.

### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap. Frequently or prolonged contact with skin may cause dermal irritation.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No data available

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder. Carbon dioxide (CO2), Dry extinguishing powder,, alcohol resistant foam, Water spray.

### 5.2. Special hazards arising from the substance or mixture

Vapours can form explosive mixtures with air. In case of fire may be liberated: Hazardous decomposition products.

Extremely flammable aerosol. Pressurized container: May burst if heated.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings. In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Heating causes rise in pressure with risk of bursting. Beware of reignition.

# **SECTION 6: Accidental release measures**





according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 4 of 17

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Remove all sources of ignition. Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Do not pierce or burn, even after use. Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. General health and safety measures

Do not breathe aerosol.

Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands before breaks and after work. Draw up and observe skin protection programme.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. To follow: TRGS 510

Caution! Container under pressure. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Store in a well-ventilated place. Keep container tightly closed.

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

# Further information on storage conditions

Keep away from heat.

## 7.3. Specific end use(s)

No data available

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 5 of 17

# Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
115-10-6	Dimethylether	1000	1920		TWA (8 h)	

# **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
115-10-6	dimethyl ether	·		
Worker DNEL,	long-term	inhalation	systemic	1894 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	471 mg/m³
64-17-5	ethanol			
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day
532-32-1	Sodium Benzoate			
Worker DNEL,	long-term	inhalation	systemic	3 mg/m³
Worker DNEL,	long-term	inhalation	local	0,1 mg/m³
Worker DNEL, long-term		dermal	systemic	62,5 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,5 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,06 mg/m³
Consumer DN	EL, long-term	dermal	systemic	31,25 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	16,6 mg/kg bw/day
5989-27-5	d-limonene			
Worker DNEL,	long-term	inhalation	systemic	66,7 mg/m³
Worker DNEL,	long-term	dermal	systemic	9,5 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	16,6 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	4,8 mg/kg bw/day
470-82-6	1,8-Cineole			
Worker DNEL,	long-term	inhalation	systemic	7,05 mg/m³
Worker DNEL,	long-term	dermal	systemic	2 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,74 mg/m³
Consumer DN	EL, long-term	dermal	systemic	1 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	600 mg/kg bw/day



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 6 of 17

# **PNEC** values

CAS No	Name of agent			
Environmenta	al compartment	Value		
115-10-6	dimethyl ether			
Freshwater		0,155 mg/l		
Freshwater (ii	ntermittent releases)	1,549 mg/l		
Marine water		0,016 mg/l		
Freshwater se	ediment	0,681 mg/kg		
Marine sedim	ent	0,069 mg/kg		
Micro-organisms in sewage treatment plants (STP)				
Soil		0,045 mg/kg		
64-17-5	ethanol			
Freshwater		0,96 mg/l		
Freshwater (ii	ntermittent releases)	2,75 mg/l		
Marine water		0,79 mg/l		
Freshwater se	ediment	3,6 mg/kg		
Marine sedim	ent	2,9 mg/kg		
Secondary po	oisoning	380 mg/kg		
Micro-organis	rms in sewage treatment plants (STP)	580 mg/l		
Soil		0,63 mg/kg		
532-32-1	Sodium Benzoate	<u> </u>		
Freshwater		0,13 mg/l		
Freshwater (ii	ntermittent releases)	0,305 mg/l		
Marine water		0,013 mg/l		
Freshwater se	ediment	1,76 mg/kg		
Marine sedim	ent	0,176 mg/kg		
Secondary po	pisoning	300 mg/kg		
Micro-organis	ims in sewage treatment plants (STP)	10 mg/l		
Soil		0,06 mg/kg		
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethylcrotonate	nethyloctyl 3-methyl-2-butenoate		
Freshwater		0,0028 mg/l		
Freshwater (i	ntermittent releases)	0,00076 mg/l		
Marine water		0,00028 mg/l		
Freshwater se	ediment	5,6 mg/kg		
Marine sedim	ent	0,56 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	3 mg/l		
Soil		1,12 mg/kg		
5989-27-5	d-limonene			
Freshwater		0,014 mg/l		
Marine water		0,0014 mg/l		
Freshwater se	ediment	3,85 mg/kg		
Marine sedim	ent	0,385 mg/kg		
Secondary po		133 mg/kg		



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 7 of 17

Micro-organi	1,8 mg/l	
Soil	Soil	
470-82-6	1,8-Cineole	
Freshwater		0,057 mg/l
Freshwater (	intermittent releases)	0,57 mg/l
Marine water		0,0057 mg/l
Freshwater sediment		1,425 mg/kg
Marine sediment		0,142 mg/kg
Secondary poisoning		40 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,25 mg/kg

### 8.2. Exposure controls







### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection. Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable material:

Thickness of the glove material 0,4 mm

> 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

**EN ISO 374** 

# Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. In case of insufficient ventilation, wear suitable respiratory equipment. Particle filter device (EN 143)

### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Aerosol

Colour: colourless, clear

Odour: Lemon





according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 8 of 17

**Test method** 

Melting point/freezing point: not determined

Boiling point or initial boiling point and -24,82 °C

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: 2,5 vol. % Upper explosion limits: 26,2 vol. %

Flash point: 9,7 °C Auto-ignition temperature: 226 °C

Decomposition temperature: not determined pH-Value (at 20 °C): ~ 8

Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 5132,91 hPa

(at 20 °C)

Density (at 20 °C): 0,77 g/cm³
Relative vapour density: not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

Heating may cause an explosion.

Oxidizing properties

The product is not: oxidising.

# Other safety characteristics

Evaporation rate: not determined Solid content: not determined

Viscosity / dynamic: DIN 51377

# Further Information No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated. No data available

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Heating causes rise in pressure with risk of bursting.

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5. Incompatible materials

Materials to avoid: Base.

# 10.6. Hazardous decomposition products

Carbon monoxide



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 9 of 17

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
115-10-6	dimethyl ether								
	inhalation (4 h) gas	LC50 ppm	164000	Rat	Study report (1979)	Ten male rats were administered the test			
64-17-5	ethanol								
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401			
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403			
532-32-1	Sodium Benzoate								
	oral	LD50 mg/kg	3450	Rat	Publication (1953)	Study predates approved guidelines. Unfa			
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1974)	4 rabbits were dermally exposed			
	Reaction mass of 3,7-dir and citronellyl 3-methylc	,	en-1-yl 3-me	thylbut-2-enoate ar	nd 3,7-dimethyloctyl 3-methyl-2-l	outenoate			
	oral	LD50 mg/kg	>10000	Rat	Pre-supplier/manufact urer				
	dermal	LD50 mg/kg	>5000	Rabbit	Pre-supplier/manufact urer				
5989-27-5	d-limonene								
	oral	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 5000	Rabbit	REACh Registration Dossier				

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Contains d-limonene, 1,8-Cineole. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available





according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 10 of 17

# Additional information on tests

No data available

### **Practical experience**

No data available

# 11.2. Information on other hazards

## Other information

No data available

### **Further information**

Irritating to respiratory system.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data available



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 11 of 17

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
115-10-6	dimethyl ether						
	Acute fish toxicity	LC50 mg/l	> 4100	96 h	Poecilia reticulata	Study report (1988)	other: NEN 6504 Water - Determination of
	Acute algae toxicity	ErC50 mg/l	154,917	96 h	green algae	Other company data (2009)	other: Data generated using ECOSAR v1.00
	Acute crustacea toxicity	EC50 mg/l	> 4400	48 h	Daphnia magna	Study report (1988)	other: NEN6501: Water -Determination of
64-17-5	ethanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975
	Acute algae toxicity	ErC50 22000 mg/	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC mg/l	> 79	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th
532-32-1	Sodium Benzoate						
	Acute fish toxicity	LC50	484 mg/l	96 h	Pimephales promelas	Vol. 2: 139-140. University of Wisconsin	EPA OPP 72-1
	Acute algae toxicity	ErC50 mg/l	> 30,5	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Reaction mass of 3,7-dim citronellyl 3-methylcrotona		n-1-yl 3-metl	nylbut-2-	enoate and 3,7-dimethylo	octyl 3-methyl-2-buten	oate and
	Acute algae toxicity	ErC50 mg/l	> 0,11	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,076	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	0,1 mg/l	7 d	Ceriodaphnia dubia	REACh Registration Dossier	other: EPA-821-R-02-01 3 : Short-Term Met
5989-27-5	d-limonene						
	Acute fish toxicity	LC50 mg/l	0,72	96 h	Pimephales promelas	REACh Registration Dossier	OECD Guideline 203



according to Regulation (EC) No 1907/2006

	5291 AC Cleaner activeSilver plus citrus 100 ml	
Revision date: 13.06.2023	Product code: 70686	Page 12 of 17

	Acute algae toxicity	ErC50 mg/l	0,32	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,307	48 h	Daphnia magna	Study report (2013)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,37	8 d	Pimephales promelas	REACh Registration Dossier	OECD Guideline 212
	Crustacea toxicity	NOEC mg/l	0,08	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	209	3 h		REACh Registration Dossier	
470-82-6	1,8-Cineole						
	Acute fish toxicity	LC50	57 mg/l	96 h	Oncorhynchus mykiss	Study report (2012)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 74	72 h	Pseudokirchneriella subcapitata	Study report (2013)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	activated sludge of a predominantly domestic sewag	Study report (2011)	OECD Guideline 209

# 12.2. Persistence and degradability

AT2

No data available

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenoate and citronellyl 3-methylcrotonate					
	OECD 301F	80 %	28			
	Readily biodegradable (according to OECD criteria).					

# 12.3. Bioaccumulative potential

No data available

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
115-10-6	dimethyl ether	0,07
64-17-5	ethanol	-0,77
532-32-1	Sodium Benzoate	1,88
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenoate and citronellyl 3-methylcrotonate	6
5989-27-5	d-limonene	4,38
470-82-6	1,8-Cineole	3,4

# BCF

CAS No	Chemical name	BCF	Species	Source	
64-17-5 ethanol		1	Cyprinus carpio	Comparative Biochemi	
5989-27-5	d-limonene	864,8	no data	REACh Registration D	
470-82-6	1,8-Cineole	155		Journal of Fisheries	



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 13 of 17

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Do not empty into drains; dispose of this material and its container in a safe way.

### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Disposal considerations

Dispose of waste according to applicable legislation. The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.

# List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

### Contaminated packaging

Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 14 of 17

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable gases. SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

14.7. Maritime transport in bulk according to IMO instruments





according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 15 of 17

not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 72,284 % (556,59 g/l) 2004/42/EC (VOC): 72,593 % (558,967 g/l)

Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation].

Aerosol Directive (75/324/).

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Biocide registry number: N-103638

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# 5291 AC Cleaner activeSilver plus citrus 100 ml

Revision date: 13.06.2023 Product code: 70686 Page 16 of 17

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Flam. Gas: Flammable gases

Aerosol: Aerosols

Flam. Liq: Flammable liquid
Asp. Tox: Aspiration hazard
Skin Irrit: Skin irritation
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Aerosol 1; H222-H229	On basis of test data				

### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour



Revision date: 13.06.2023

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

5291 AC Cleaner activeSilver plus citrus 100 ml	
Product code: 70686	Page 17 of 17

H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH208 Contains d-limonene, 1,8-Cineole. May produce an allergic reaction.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
	AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use	PW, C	0	3, 28	8a, 8b, 9	11a	0	37, 63	
2	Biocidal product	PW, C	-	8	11	-	-	20	

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)