

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 1 of 14

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

5295 Turbo air refresher blossom 75 ml

UFI: NQ09-962W-W002-HJXA

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

**1.3. Details of the supplier of the safety data sheet**

Company name:	KERONA GmbH	
Street:	Zeilbaumweg 15	
Place:	D-74613 Öhringen	
Telephone:	+49 7941-9205 4080	
E-mail:	mail@kerona.de	
Contact person:	Isabel Winter	Telephone: +49 7941 9205 4087
E-mail:	isabel.winter@kerona.de	
Internet:	www.kerona.de	

**1.4. Emergency telephone number:**

Medicines &amp; Poisons Info Office +356 2545 6508

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

**Precautionary statements**

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Special labelling of certain mixtures**

EUH208	Contains Octahydro tetramethyl acetone, Linalyl acetate, dl-linalool, d-limonene, 8-Damascone. May produce an allergic reaction.
--------	--

**2.3. Other hazards**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 2 of 14

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Perfumes, fragrances

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64-17-5	ethanol			10 - 25 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			
54464-57-2	Octahydro tetramethyl acetone			0.1 - < 1 %
	259-174-3			
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 1; H315 H317 H410			
115-95-7	Linalyl acetate			0.1 - < 1 %
	204-116-4		01-2119454789-19	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B; H315 H319 H317			
78-70-6	dl-linalool			< 0.1 %
	201-134-4	603-235-00-2	01-2119474016-42	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1B; H315 H319 H317			
5989-27-5	d-limonene			< 0.1 %
	227-813-5	601-029-00-7	01-2119529223-47	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H304 H400 H410			
57378-68-4	8-Damascone			< 0.1 %
	260-709-8			
	Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H317 H400 H410			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol	10 - 25 %
		inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg	
54464-57-2	259-174-3	Octahydro tetramethyl acetone	0.1 - < 1 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
115-95-7	204-116-4	Linalyl acetate	0.1 - < 1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 9000 mg/kg	
78-70-6	201-134-4	dl-linalool	< 0.1 %
		dermal: LD50 = 5610 mg/kg; oral: LD50 = 2790 mg/kg	
5989-27-5	227-813-5	d-limonene	< 0.1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 2000 mg/kg	
57378-68-4	260-709-8	8-Damascone	< 0.1 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 1400 mg/kg	

## SECTION 4: First aid measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 3 of 14

**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

**After inhalation**

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Put victim at rest, cover with a blanket and keep warm.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

**After contact with eyes**

Protect uninjured eye. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Seek medical advice immediately. If unconscious but breathing normally, place in recovery position and seek medical advice. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder, Foam.

**Unsuitable extinguishing media**

Full water jet.

**5.2. Special hazards arising from the substance or mixture**

In case of fire and/or explosion do not breathe fumes.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 4 of 14

**6.4. Reference to other sections**

Safe handling: see section 7. Personal protection equipment: see section 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

**Advice on protection against fire and explosion**

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

**Further information on handling**

15 - 35°C

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

**Hints on joint storage**

Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

**Further information on storage conditions**

Keep away from heat.

**7.3. Specific end use(s)**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 5 of 14

#### DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
64-17-5	ethanol			
Worker DNEL, long-term		inhalation	systemic	950 mg/m³
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day
115-95-7	Linalyl acetate			
Worker DNEL, long-term		inhalation	systemic	2,75 mg/m³
Worker DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,68 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,25 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,2 mg/kg bw/day
78-70-6	dl-linalool			
Worker DNEL, long-term		inhalation	systemic	24,58 mg/m³
Worker DNEL, long-term		dermal	systemic	3,5 mg/kg bw/day
Worker DNEL, long-term		dermal	local	3 mg/cm²
Worker DNEL, acute		dermal	local	3 mg/cm²
Consumer DNEL, long-term		inhalation	systemic	4,33 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,25 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	1,5 mg/cm²
Consumer DNEL, acute		dermal	local	1,5 mg/cm²
Consumer DNEL, long-term		oral	systemic	2,49 mg/kg bw/day
5989-27-5	d-limonene			
Worker DNEL, long-term		inhalation	systemic	66,7 mg/m³
Worker DNEL, long-term		dermal	systemic	9,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	16,6 mg/m³
Consumer DNEL, long-term		dermal	systemic	4,8 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	4,8 mg/kg bw/day

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 6 of 14

#### PNEC values

CAS No	Name of agent	
Environmental compartment		Value
64-17-5	ethanol	
Freshwater		0,96 mg/l
Freshwater (intermittent releases)		2,75 mg/l
Marine water		0,79 mg/l
Freshwater sediment		3,6 mg/kg
Marine sediment		2,9 mg/kg
Secondary poisoning		380 mg/kg
Micro-organisms in sewage treatment plants (STP)		580 mg/l
Soil		0,63 mg/kg
115-95-7	Linalyl acetate	
Freshwater		0,011 mg/l
Freshwater (intermittent releases)		0,11 mg/l
Marine water		0,001 mg/l
Freshwater sediment		0,609 mg/kg
Marine sediment		0,061 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil		0,115 mg/kg
78-70-6	dl-linalool	
Freshwater		0,2 mg/l
Freshwater (intermittent releases)		2 mg/l
Marine water		0,02 mg/l
Freshwater sediment		2,22 mg/kg
Marine sediment		0,222 mg/kg
Secondary poisoning		7,8 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,327 mg/kg
5989-27-5	d-limonene	
Freshwater		0,014 mg/l
Marine water		0,0014 mg/l
Freshwater sediment		3,85 mg/kg
Marine sediment		0,385 mg/kg
Secondary poisoning		133 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,8 mg/l
Soil		0,763 mg/kg

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 7 of 14

**Hand protection**

Butyl caoutchouc (butyl rubber)  
Thickness of the glove material >0,7 mm  
Wearing time with permanent contact > 480 min

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Aerosol	
Colour:	colourless	
Odour:	characteristic	
		<b>Test method</b>
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	-42 °C	
Lower explosion limits:	1,4 vol. %	
Upper explosion limits:	15 vol. %	
Flash point:	-104 °C	
Auto-ignition temperature:	365 °C	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Viscosity / kinematic:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Density (at 20 °C):	0,615 g/cm <sup>3</sup>	ASTM D 1481

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

Heating causes rise in pressure with risk of bursting.

**Other safety characteristics**

Evaporation rate: not applicable

Viscosity / dynamic: not determined

**Further Information**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 8 of 14

The product is stable under storage at normal ambient temperatures.  
Heating causes rise in pressure with risk of bursting.

**10.4. Conditions to avoid**

Keep away from heat. Keep away from sources of ignition - No smoking.

**10.5. Incompatible materials**

Materials to avoid: .

**10.6. Hazardous decomposition products**

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 9 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol				
	oral	LD50 10470 mg/kg	Rat	Study report (1976)	OECD Guideline 401
	inhalation (4 h) vapour	LC50 124,7 mg/l	Rat	Study report (1980)	OECD Guideline 403
54464-57-2	Octahydro tetramethyl acetone				
	oral	LD50 >5000 mg/kg	Rat	Pre-supplier/manufacturer	OECD 401
	dermal	LD50 >5000 mg/kg	Rat	Pre-supplier/manufacturer	OECD 402
115-95-7	Linalyl acetate				
	oral	LD50 > 9000 mg/kg	Rat	Study report (1969)	Method: BASF-test according to internal
	dermal	LD50 > 5000 mg/kg	Rabbit	cited in: Linalyl acetate CAS 115-95-7 R	Acute dermal toxicity study in rabbits.
78-70-6	dl-linalool				
	oral	LD50 2790 mg/kg	Rat	Food Cosmet. Toxicol. Vol. 2, pp. 327-34	OECD Guideline 401
	dermal	LD50 5610 mg/kg	Rabbit	Study report (1970)	OECD Guideline 402
5989-27-5	d-limonene				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 423
	dermal	LD50 > 5000 mg/kg	Rabbit	REACH Registration Dossier	
57378-68-4	8-Damascone				
	oral	LD50 1400 mg/kg	Mouse	Pre-supplier/manufacturer	OECD 401
	dermal	LD50 >5000 mg/kg	Rabbit	Pre-supplier/manufacturer	OECD 402

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Contains Octahydro tetramethyl acetone, Linalyl acetate, dl-linalool, d-limonene, 8-Damascone. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**5295 Turbo air refresher blossom 75 ml**

Revision date: 07.02.2023

Product code: 70418

Page 10 of 14

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Other information**

No data available

**Further information**

sensitising

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol					
	Acute fish toxicity	LC50 15400 mg/l	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975
	Acute algae toxicity	ErC50 ca. 22000 mg/l	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 10000 mg/l	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC > 79 mg/l	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc
	Algae toxicity	NOEC 5400 mg/l	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989)	Study to determine the sensitivity of a
	Crustacea toxicity	NOEC 2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th
115-95-7	Linalyl acetate					
	Acute fish toxicity	LC50 68,12 mg/l	96 h	Leuciscus idus	Study report (1989)	other: German standard DIN 38412, part L
	Acute algae toxicity	ErC50 13,1 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 59 mg/l	48 h	Daphnia magna	Study report (1991)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 > 100 mg/l)	0.5 h	activated sludge of a predominantly domestic sewage	Study report (1991)	OECD Guideline 209
78-70-6	dl-linalool					
	Acute fish toxicity	LC50 27,8 mg/l	96 h	Oncorhynchus mykiss	Study report (1991)	OECD Guideline 203
	Acute algae toxicity	ErC50 88,3 mg/l	96 h	Desmodesmus subspicatus	Study report (1988)	other: DIN 38412 L 9
	Acute crustacea toxicity	EC50 59 mg/l	48 h	Daphnia magna	Study report (1991)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 > 100 mg/l)	0.5 h	activated sludge of a predominantly domestic sewage	Study report (1991)	OECD Guideline 209
5989-27-5	d-limonene					
	Acute fish toxicity	LC50 0,72 mg/l	96 h	Pimephales promelas	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 0,32 mg/l	72 h	Raphidocelis subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,307 mg/l	48 h	Daphnia magna	Study report (2013)	OECD Guideline 202
	Fish toxicity	NOEC 0,37 mg/l	8 d	Pimephales promelas	REACH Registration Dossier	OECD Guideline 212

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 12 of 14

	Crustacea toxicity	NOEC 0,08 mg/l	21 d	Daphnia magna	REACH Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 209 mg/l)	3 h		REACH Registration Dossier	

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
115-95-7	Linalyl acetate	3,9
78-70-6	dl-linalool	2,9
5989-27-5	d-limonene	4,38

#### BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi
115-95-7	Linalyl acetate	174	fish	BCF calculation (201
5989-27-5	d-limonene	864,8	no data	REACH Registration D

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### SECTION 14: Transport information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 13 of 14

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.1



Classification code: 5F  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Excepted quantity: E0  
 Transport category: 2  
 Tunnel restriction code: D

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.1



Classification code: 5F  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Excepted quantity: E0

#### Marine transport (IMDG)

Marine pollutant: ja  
 EmS: F-D, S-U

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 100%; 615 g/l

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher blossom 75 ml

Revision date: 07.02.2023

Product code: 70418

Page 14 of 14

#### SECTION 16: Other information

##### Abbreviations and acronyms

Aerosol: Aerosols  
 Flam. Liq: Flammable liquid  
 Acute Tox: Acute toxicity  
 Asp. Tox: Aspiration hazard  
 Skin Irrit: Skin irritation  
 Eye Irrit: Eye irritation  
 Skin Sens: Skin sensitisation  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard

##### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

##### Relevant H and EUH statements (number and full text)

H222 Extremely flammable aerosol.  
 H225 Highly flammable liquid and vapour.  
 H226 Flammable liquid and vapour.  
 H229 Pressurised container: May burst if heated.  
 H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH208 Contains Octahydro tetramethyl acetone, Linalyl acetate, dl-linalool, d-limonene, 8-Damascone. May produce an allergic reaction.

##### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

##### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use	PW, C	0	3, 28	8a, 8b, 9	11a	0	37, 63	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)