

according to Regulation (EC) No 1907/2006

# 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

5295 Turbo air refresher coffee 75 ml

UFI: JS29-E6NF-700X-DRWV

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

## 1.3. Details of the supplier of the safety data sheet

Company name: KERONA GmbH
Street: Zeilbaumweg 15
Place: D-74613 Öhringen
Telephone: +49 7941-9205 4080
E-mail: mail@kerona.de
Contact person: Isabel Winter

Telephone: +49 7941 9205 4087

E-mail: isabel.winter@kerona.de

Internet: www.kerona.de

1.4. Emergency telephone Medicines & Poisons Info Office +356 2545 6508

number:

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



# **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

# **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## Special labelling of certain mixtures

EUH208 Contains Isovaleraldehyde. May produce an allergic reaction.

#### 2.3. Other hazards

No data available



according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 2 of 10

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixtures

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
64-17-5	ethanol			10 - 25 %	
	200-578-6	603-002-00-5			
	Flam. Liq. 2; H225				
120-51-4	benzyl benzoate				
	204-402-9	607-085-00-9			
	Acute Tox. 4, Aquatic Chronic 2; H302 H411				
590-86-3	Isovaleraldehyde				
	209-691-5				
	Flam. Liq. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Chronic 2; H225 H319 H317 H335 H411				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

<del>openie ee</del>	1101 =1111100, 111 141	70.0 4.1.4 7.1 =						
CAS No	EC No	Chemical name	Quantity					
	Specific Conc.	Specific Conc. Limits, M-factors and ATE						
64-17-5	200-578-6	ethanol	10 - 25 %					
	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg							
120-51-4	204-402-9	benzyl benzoate	1 - < 5 %					
	oral: ATE = 50	0 mg/kg						
590-86-3	209-691-5	Isovaleraldehyde	< 0.1 %					
	inhalation: LC mg/kg	50 = 42,7 mg/l (vapours); dermal: LD50 = 2534 mg/kg; oral: LD50 = ca. 5740						

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Put victim at rest, cover with a blanket and keep warm.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

## After contact with eyes

Protect uninjured eye. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



KERONA GmbH

according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 3 of 10

#### After ingestion

Seek medical advice immediately. If unconscious but breathing normally, place in recovery position and seek medical advice. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Dry extinguishing powder, Foam.

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

# Advice on protection against fire and explosion

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 4 of 10

#### Further information on handling

15 - 35°C

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

# Hints on joint storage

Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

## Further information on storage conditions

Keep away from heat.

# 7.3. Specific end use(s)

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Name of agent								
DNEL type		Exposure route	Effect	Value					
64-17-5	ethanol								
Worker DNEL, long-term		inhalation	systemic	950 mg/m³					
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day					
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³					
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day					
Consumer DNI	EL, long-term	oral	systemic	87 mg/kg bw/day					

#### **PNEC** values

CAS No	Name of agent					
Environmental	Environmental compartment Value					
64-17-5	ethanol					
Freshwater		0,96 mg/l				
Freshwater (intermittent releases) 2,75						
Marine water 0,79 mg/l						
Freshwater sediment 3,6 mg/kg						
Marine sedime	2,9 mg/kg					
Secondary pois	380 mg/kg					
Micro-organisms in sewage treatment plants (STP)						
Soil	0,63 mg/kg					

#### Additional advice on limit values

SECTION 16: Other information

# 8.2. Exposure controls

# Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.





according to Regulation (EC) No 1907/2006

# 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 5 of 10

#### Hand protection

Butyl caoutchouc (butyl rubber)

Thickness of the glove material >0,7 mm

Wearing time with permanent contact > 480 min

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

-42 °C

boiling range:

Lower explosion limits: 1,4 vol. % Upper explosion limits: 15 vol. % Flash point: -104 °C 365 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water. 0,615 g/cm³

Density (at 20 °C): **9.2. Other information** 

## Information with regard to physical hazard classes

Explosive properties

Heating causes rise in pressure with risk of bursting.

# Other safety characteristics

Evaporation rate: not applicable Viscosity / dynamic: not determined

## **Further Information**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 6 of 10

Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from heat. Keep away from sources of ignition - No smoking.

## 10.5. Incompatible materials

Materials to avoid: .

#### 10.6. Hazardous decomposition products

Carbon dioxide (CO2). Carbon monoxide

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) 0.0000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-17-5	ethanol						
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401	
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403	
120-51-4	benzyl benzoate						
	oral	ATE mg/kg	500				
590-86-3	Isovaleraldehyde						
	oral	LD50 mg/kg	ca. 5740	Rat	Study report (1974)	OECD Guideline 401	
	dermal	LD50 2534 mg/kg		Rabbit	Publication (1974)	OECD Guideline 402	
	inhalation (4 h) vapour	LC50	42,7 mg/l	Rat	Publication (1974)	OECD Guideline 403	

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Contains Isovaleraldehyde. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 7 of 10

# Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

## **Practical experience**

No data available

# 11.2. Information on other hazards

Other information

No data available

## **Further information**

sensitising

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
64-17-5	ethanol									
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975			
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11			
	Fish toxicity	NOEC mg/l	> 79	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc			
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a			
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th			
590-86-3	Isovaleraldehyde									
	Acute fish toxicity	LC50 mg/l	3,25	96 h	Pimephales promelas	Review article or handbook (1985)	OECD Guideline 203			
	Acute algae toxicity	ErC50 mg/l	112,78	72 h	Desmodesmus subspicatus	Study report (1989)	other: German Industrial Standard DIN 38			
	Acute crustacea toxicity	EC50	177 mg/l	48 h	Daphnia magna	Study report (1989)	other: Directive 79/831 EEC, C2			

# 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available



according to Regulation (EC) No 1907/2006

# **5295 Turbo air refresher coffee 75 ml**Revision date: 07.02.2023 Product code: 70442 Page 8 of 10

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
590-86-3	Isovaleraldehyde	31,5

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

#### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D





according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 9 of 10

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

Marine pollutant: ja

EmS: F-D, S-U

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: D-Limonen

14.6. Special precautions for user

Achtung: Gase

14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 100%; 615 g/l

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

Aerosol: Aerosols

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

#### 5295 Turbo air refresher coffee 75 ml

Revision date: 07.02.2023 Product code: 70442 Page 10 of 10

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

#### Relevant H and EUH statements (number and full text)

H222 Extremely flammable aerosol.
 H225 Highly flammable liquid and vapour.
 H229 Pressurised container: May burst if heated.
 H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains Isovaleraldehyde. May produce an allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
	AIR FRESHENERS AEROSOL (aqueous,	PW, C	0	3, 28	8a, 8b, 9	11a	0	37, 63	
	non-aqueous, concentrated (mini-aerosol)) for consumer use								

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

SU: Sectors of use

PROC: Process categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)