

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

5295 Turbo air refresher vanilla

UFI: 37P9-861T-300C-M56R

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use

### 1.3. Details of the supplier of the safety data sheet

Company name:	Kisling Deutschland GmbH	
Street:	Salzstraße 15	
Place:	D-74676 Niedernhall	
Telephone:	+49 7940 5096161	
E-mail:	info@kisling.com	
Contact person:	Isabel Winter	Telephone: +49 7941 92054087
E-mail:	info@kisling.com	
Internet:	www.kisling.com	

### 1.4. Emergency telephone number:

24 hr. emergency phone number +1 872 5888271 (KAR)  
Medicines & Poisons Info Office +356 2545 6508

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



#### Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

#### Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Special labelling of certain mixtures

EUH208	Contains Piperonal, Pentadecan-15-olide. May produce an allergic reaction.
--------	--

### 2.3. Other hazards

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 2 of 14

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
121-32-4	3-ethoxy-4-hydroxybenzaldehyde			0.1 - < 1 %
	204-464-7			
	Eye Irrit. 2; H319			
18479-58-8	2,6-dimethyloct-7-en-2-ol			0.1 - < 1 %
	242-362-4			
	Skin Irrit. 2; Eye Irrit. 2; H315 H319			
115-95-7	Linalyl acetate			0.1 - < 1 %
	204-116-4		01-2119454789-19	
	Skin Irrit. 2; Eye Irrit. 2; H315 H319			
120-57-0	Piperonal			0.1 - < 1 %
	204-409-7		01-2119983608-21	
	Skin Sens. 1B; H317			
106-02-5	Pentadecan-15-olide			< 0.1 %
	203-354-6			
	Skin Sens. 1; Aquatic Chronic 2; H317 H411			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
121-32-4	204-464-7	3-ethoxy-4-hydroxybenzaldehyde	0.1 - < 1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 3160 mg/kg		
18479-58-8	242-362-4	2,6-dimethyloct-7-en-2-ol	0.1 - < 1 %
	oral: LD50 = 4100 mg/kg		
115-95-7	204-116-4	Linalyl acetate	0.1 - < 1 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 9000 mg/kg		
120-57-0	204-409-7	Piperonal	0.1 - < 1 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = 2700 mg/kg		
106-02-5	203-354-6	Pentadecan-15-olide	< 0.1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 3 of 14

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Put victim at rest, cover with a blanket and keep warm.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

Protect uninjured eye. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Seek medical advice immediately. If unconscious but breathing normally, place in recovery position and seek medical advice. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder, Foam.

##### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 4 of 14

#### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

#### Further information on handling

15 - 35°C

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

##### Hints on joint storage

Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

##### Further information on storage conditions

Keep away from heat.

#### 7.3. Specific end use(s)

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 5 of 14

#### DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
121-32-4	3-ethoxy-4-hydroxybenzaldehyde			
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	49 mg/m³
Worker DNEL, acute		inhalation	systemic	98 mg/m³
Worker DNEL, long-term		dermal	systemic	7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,75 mg/m³
Consumer DNEL, acute		inhalation	systemic	17,5 mg/m³
18479-58-8	2,6-dimethyloct-7-en-2-ol			
Worker DNEL, long-term		inhalation	systemic	24,7 mg/m³
Worker DNEL, long-term		dermal	systemic	7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
115-95-7	Linalyl acetate			
Worker DNEL, long-term		inhalation	systemic	2,75 mg/m³
Worker DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,68 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,25 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,2 mg/kg bw/day
120-57-0	Piperonal			
Worker DNEL, long-term		inhalation	systemic	5,29 mg/m³
Worker DNEL, long-term		dermal	systemic	0,75 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,3 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,375 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,375 mg/kg bw/day

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 6 of 14

#### PNEC values

CAS No	Name of agent	
Environmental compartment		Value
121-32-4	3-ethoxy-4-hydroxybenzaldehyde	
Freshwater		0,118 mg/l
Marine water		0,012 mg/l
Freshwater sediment		15 mg/kg
Marine sediment		1,5 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		2,923 mg/kg
18479-58-8	2,6-dimethyloct-7-en-2-ol	
Freshwater		0,0278 mg/l
Freshwater (intermittent releases)		0,278 mg/l
Marine water		0,00278 mg/l
Freshwater sediment		0,594 mg/kg
Marine sediment		0,059 mg/kg
Secondary poisoning		111 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,103 mg/kg
115-95-7	Linalyl acetate	
Freshwater		0,011 mg/l
Freshwater (intermittent releases)		0,11 mg/l
Marine water		0,001 mg/l
Freshwater sediment		0,609 mg/kg
Marine sediment		0,061 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil		0,115 mg/kg
106-02-5	Pentadecan-15-olide	
Freshwater		0,0027 mg/l
Marine water		0,00027 mg/l
Freshwater sediment		21 mg/kg
Marine sediment		4,2 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		5,44 mg/kg

#### Additional advice on limit values

SECTION 16: Other information

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

##### Hand protection

Thickness of the glove material >0,4 mm / > 480 min

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 7 of 14

#### Skin protection

Wear suitable protective clothing. Filter A/P 2

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol	
Colour:	colourless	
Odour:	Vanille	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		-44 °C
Lower explosion limits:		1,5 vol. %
Upper explosion limits:		15 vol. %
Flash point:		-97 °C
Auto-ignition temperature:		365 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Density (at 20 °C):		0,615 g/cm <sup>3</sup>

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Heating causes rise in pressure with risk of bursting.

#### Other safety characteristics

Evaporation rate:	not applicable
Viscosity / dynamic:	not determined

#### Further Information

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

The product is stable under storage at normal ambient temperatures.  
Heating causes rise in pressure with risk of bursting.

### 10.4. Conditions to avoid

Keep away from heat. Keep away from sources of ignition - No smoking.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 8 of 14

#### 10.5. Incompatible materials

Materials to avoid: .

#### 10.6. Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide

#### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
121-32-4	3-ethoxy-4-hydroxybenzaldehyde				
	oral	LD50 > 3160 mg/kg	Rat	Study report (1992)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1992)	OECD Guideline 402
18479-58-8	2,6-dimethyloct-7-en-2-ol				
	oral	LD50 4100 mg/kg	Rat	Study report (1977)	No information available.
115-95-7	Linalyl acetate				
	oral	LD50 > 9000 mg/kg	Rat	Study report (1969)	Method: BASF-test according to internal
	dermal	LD50 > 5000 mg/kg	Rabbit	cited in: Linalyl acetate CAS 115-95-7 R	Acute dermal toxicity study in rabbits.
120-57-0	Piperonal				
	oral	LD50 2700 mg/kg	Rat	Toxicology and Applied Pharmacology, 6(4)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rat	Study report (1980)	other: IFF Protocol No. DLD
106-02-5	Pentadecan-15-olide				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2004)	EU Method B.1 tris
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2004)	EU Method B.3

##### Irritation and corrosivity

Based on available data, the classification criteria are not met.

##### Sensitising effects

Contains Piperonal, Pentadecan-15-olide. May produce an allergic reaction.

##### Carcinogenic/mutagenic/toxic effects for reproduction



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 9 of 14

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Other information**

No data available

**Further information**

sensitising

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 10 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
121-32-4	3-ethoxy-4-hydroxybenzaldehyde					
	Acute fish toxicity	LC50 mg/l 87,6	96 h	Pimephales promelas	Center for lake Superior Environmental S	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l > 100	72 h	Raphidocelis subcapitata	Study report (2017)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l 26,2	48 h	Daphnia magna	Study report (2017)	OECD Guideline 202
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna	Study report (1996)	other: OECD 202
18479-58-8	2,6-dimethyloct-7-en-2-ol					
	Acute fish toxicity	LC50 mg/l 27,8	96 h	Oncorhynchus mykiss	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l 80 mg/l	72 h	Desmodesmus subspicatus	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l 38 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC 9,5 mg/l	21 d	Daphnia magna	REACH Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l) > 100	0.5 h	Activated sludge	REACH Registration Dossier	OECD Guideline 209
115-95-7	Linalyl acetate					
	Acute fish toxicity	LC50 mg/l 68,12	96 h	Leuciscus idus	Study report (1989)	other: German standard DIN 38412, part L
	Acute algae toxicity	ErC50 mg/l 13,1	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l 59 mg/l	48 h	Daphnia magna	Study report (1991)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l) > 100	0.5 h	activated sludge of a predominantly domestic sewage	Study report (1991)	OECD Guideline 209
120-57-0	Piperonal					
	Acute algae toxicity	ErC50 mg/l 31 mg/l	72 h	Raphidocelis subcapitata	Study report (2013)	OECD Guideline 201
106-02-5	Pentadecan-15-olide					
	Aquatic toxicity	Data lacking				

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 11 of 14

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
121-32-4	3-ethoxy-4-hydroxybenzaldehyde	1,58
18479-58-8	2,6-dimethyloct-7-en-2-ol	3,25
115-95-7	Linalyl acetate	3,9
106-02-5	Pentadecan-15-olide	612000

#### BCF

CAS No	Chemical name	BCF	Species	Source
18479-58-8	2,6-dimethyloct-7-en-2-ol	64,8		REACH Registration D
115-95-7	Linalyl acetate	174	fish	BCF calculation (201
106-02-5	Pentadecan-15-olide	3,487	no data	Study report (2013)

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

UN 1950

##### 14.2. UN proper shipping name:

AEROSOLS

##### 14.3. Transport hazard class(es):

2

##### 14.4. Packing group:

-

Hazard label:

2.1



Classification code:

5F

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 12 of 14

Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Excepted quantity: E0  
 Transport category: 2  
 Tunnel restriction code: D

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
 Hazard label: 2.1



Classification code: 5F  
 Special Provisions: 190 327 344 625  
 Limited quantity: 1 L  
 Excepted quantity: E0

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 959  
 Limited quantity: 1000 mL  
 Excepted quantity: E0  
 EmS: F-D, S-U

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2.1  
**14.4. Packing group:** -  
 Hazard label: 2.1



Special Provisions: A145 A167 A802  
 Limited quantity Passenger: 30 kg G  
 Passenger LQ: Y203  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: 203  
 IATA-max. quantity - Passenger: 75 kg  
 IATA-packing instructions - Cargo: 203  
 IATA-max. quantity - Cargo: 150 kg

#### 14.5. Environmental hazards

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5295 Turbo air refresher vanilla

Revision date: 07.02.2023

Product code: 70657

Page 13 of 14

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: D-Limonen

#### 14.6. Special precautions for user

Achtung: Gase

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 100%; 615 g/l

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

Aerosol: Aerosols

Skin Irrit: Skin irritation

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

#### Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains Piperonal, Pentadecan-15-olide. May produce an allergic reaction.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 07.02.2023

5295 Turbo air refresher vanilla

Product code: 70657

Page 14 of 14

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use	PW, C	0	3, 28	8a, 8b, 9	11a	0	37, 63	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)